

| Vendor    | Model                    | Vendor:DeviceID | Drivers    | Supported CPU            | Notes                                                    |  |
|-----------|--------------------------|-----------------|------------|--------------------------|----------------------------------------------------------|--|
| Acer Labs | M5229                    | 10b9: 5229      | devb-eide  | X86                      | rev 0x19-0xC1<br>UDMA 2                                  |  |
| Acer Labs | <a href="#">ThunderX</a> | 0x0402:0x5621   | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB IDE Disk                                             |  |
| Acer Labs | M5229                    | 10b9: 5229      | devb-eide  | X86                      | rev 0xC2-0xC3<br>UDMA 4                                  |  |
| Acer Labs | M5229                    | 10b9: 5229      | devb-eide  | X86                      | rev 0xC4<br>UDMA 5                                       |  |
| Acer Labs | M5287                    | 10b9: 5287      | devb-eide  | X86                      | SATA                                                     |  |
| Acer Labs | M5289                    | 10b9: 5289      | devb-eide  | X86                      | SATA                                                     |  |
| ACOM      | <a href="#">FlashKey</a> | 0x0c0b:0xb001   | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                          |  |
| Adaptec   | AHA-1510 A               | N/A             | devb-aha2  | X86                      | PIO ISA SCSI host adapter without BIOS                   |  |
| Adaptec   | AHA-1520 A               | N/A             | devb-aha2  | X86                      | PIO ISA SCSI host adapter                                |  |
| Adaptec   | AHA-1522 A               | N/A             | devb-aha2  | X86                      | PIO ISA SCSI host adapter with floppy controller         |  |
| Adaptec   | AHA-1522 B               | N/A             | devb-aha2  | X86                      | PIO ISA SCSI host adapter                                |  |
| Adaptec   | AHA-1530 P               | N/A             | devb-aha2  | X86                      | PIO ISA-to-Fast SCSI host adapter                        |  |
| Adaptec   | AHA-1540 A               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI host adapter.                        |  |
| Adaptec   | AHA-1540 B               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI host adapter.                        |  |
| Adaptec   | AHA-1540 C               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI host adapter.                        |  |
| Adaptec   | AHA-1540 CF              | N/A             | devb-aha4  | X86                      | Bus master ISA-to-Fast SCSI host adapter.                |  |
| Adaptec   | AHA-1542 A               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI host adapter with floppy controller. |  |
| Adaptec   | AHA-1542 B               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI host adapter with floppy controller. |  |
| Adaptec   | AHA-1542 C               | N/A             | devb-aha4  | X86                      | Bus master ISA SCSI                                      |  |

|         |             |            |           |                |                                                                                              |  |
|---------|-------------|------------|-----------|----------------|----------------------------------------------------------------------------------------------|--|
|         |             |            |           |                | host adapter with floppy controller.                                                         |  |
| Adaptec | AHA-1542 CF | N/A        | devb-aha4 | X86            | Bus master ISA-to-Fast SCSI host adapter with floppy controller                              |  |
| Adaptec | AHA-2740    | N/A        | devb-aha7 | X86            | Bus master EISA-to-Fast SCSI host adapterx09                                                 |  |
| Adaptec | AHA-2740 T  | N/A        | devb-aha7 | X86            | <a href="#">TwinChannel</a> Bus master EISA-to-Fast SCSI host adapter                        |  |
| Adaptec | AHA-2740 W  | N/A        | devb-aha7 | X86            | Bus master EISA-to-Fast and Wide SCSI host adapter                                           |  |
| Adaptec | AHA-2742    | N/A        | devb-aha7 | X86            | Bus master EISA-to-Fast SCSI host adapter with floppy controller                             |  |
| Adaptec | AHA-2742 T  | N/A        | devb-aha7 | X86            | <a href="#">TwinChannel</a> Bus master EISA-to-Fast SCSI host adapter with floppy controller |  |
| Adaptec | AHA-2742 W  | N/A        | devb-aha7 | X86            | Bus master EISA-to-Fast and Wide SCSI host adapter with floppy controller                    |  |
| Adaptec | AHA-2840 A  | N/A        | devb-aha7 | X86            | Bus master VL-to-Fast SCSI host adapter                                                      |  |
| Adaptec | AHA-2842 A  | N/A        | devb-aha7 | X86            | Bus master VL-to-Fast SCSI host adapter with floppy controller                               |  |
| Adaptec | AHA-2902 E  | 9004: 5078 | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast SCSI (non-bootable,                                                              |  |

|         |                 |                  |           |                |                                                                    |  |
|---------|-----------------|------------------|-----------|----------------|--------------------------------------------------------------------|--|
|         |                 |                  |           |                | external) . No Support for MIPS BE                                 |  |
| Adaptec | AHA-2902 I      | 9004: 5078       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast SCSI (non-bootable, internal) . No Support for MIPS BE |  |
| Adaptec | AHA-2904        | 9004: 5078       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast SCSI (non-bootable)                                    |  |
| Adaptec | AHA-2910        | 9004: 5078       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast SCSI (non-bootable) . No Support for MIPS BE           |  |
| Adaptec | AHA-29160       | 9005: 0080       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra160 SCSI. No Support for MIPS BE                       |  |
| Adaptec | AHA-2930CVA     | 9004: 3868, 3869 | devb-aha8 | MIPS, PPC, X86 | No Support for MIPS BE                                             |  |
| Adaptec | AHA-2930 U      | 9004: 3860       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra Fast SCSI. No Support for MIPS BE                     |  |
| Adaptec | AHA-2930 UW     | 9004: 8878, 7888 | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra Wide Fast SCSI. No Support for MIPS BE                |  |
| Adaptec | AHA-2940        | 9004: 7178       | devb-aha8 | MIPS, PPC, X86 | Bus master PCI-to-Fast SCSI host adapter. No Support for MIPS BE   |  |
| Adaptec | AHA-2940 AU     | 9004: 6178       | devb-aha8 | MIPS, PPC, X86 | Bus master PCI-to-Fast SCSI host adapter. No Support for MIPS BE   |  |
| Adaptec | AHA-2940 U      | 9004: 8178       | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra Single-ended SCSI. No Support for MIPS BE             |  |
| Adaptec | AHA-2940 U Dual | N/A              | devb-aha8 | MIPS, PPC, X86 | Dual Channel PCI-to-Ultra Wide Internal Single-ended SCSI with 50- |  |

|         |                  |                |           |                |                                                                                                                |  |
|---------|------------------|----------------|-----------|----------------|----------------------------------------------------------------------------------------------------------------|--|
|         |                  |                |           |                | pin external connector. No Support for MIPS BE                                                                 |  |
| Adaptec | AHA-2940 UW      | 0x9004: 0x8178 | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra Wide Single-ended SCSI. No Support for MIPS BE                                                    |  |
| Adaptec | AHA-2940 UW Dual | N/A            | devb-aha8 | MIPS, PPC, X86 | Dual Channel PCI-to-Ultra Wide Internal Single-ended SCSI with Wide external connector. No Support for MIPS BE |  |
| Adaptec | AHA-2940 W       | 9004: 7178     | devb-aha8 | MIPS, PPC, X86 | Bus master PCI-to-Fast and Wide SCSI host adapter. No Support for MIPS BE                                      |  |
| Adaptec | AHA-2944         | 0x9004: 0x7478 | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast Differential SCSI. No Support for MIPS BE                                                          |  |
| Adaptec | AHA-2944 UW      | 9004: 8478     | devb-aha8 | MIPS, PPC, X86 | PCI-to-Ultra Wide Differential SCSI. No Support for MIPS BE                                                    |  |
| Adaptec | AHA-2944 W       | N/A            | devb-aha8 | MIPS, PPC, X86 | PCI-to-Fast and Wide Differential SCSI. No Support for MIPS BE                                                 |  |
| Adaptec | AHA-3940         | 0x9004: 0x7278 | devb-aha8 | MIPS, PPC, X86 | Bus master PCI-to-Fast SCSI host adapter. No Support for MIPS BE                                               |  |
| Adaptec | AHA-3940 AU      | N/A            | devb-aha8 | MIPS, PPC, X86 | <a href="#">MultiChannel</a> PCI-to-Ultra SCSI. No Support for MIPS BE                                         |  |
| Adaptec | AHA-3940 AUW     | N/A            | devb-aha8 | MIPS, PPC, X86 | <a href="#">MultiChannel</a> PCI-to-Ultra                                                                      |  |

|         |                  |                   |           |                   |                                                                                                                                |  |
|---------|------------------|-------------------|-----------|-------------------|--------------------------------------------------------------------------------------------------------------------------------|--|
|         |                  |                   |           |                   | Wide SCSI.<br>No Support for<br>MIPS BE                                                                                        |  |
| Adaptec | AHA-3940<br>AUWD | N/A               | devb-aha8 | MIPS, PPC,<br>X86 | <a href="#">MultiChannel</a><br>PCI-to-Ultra<br>Wide SCSI<br>with dual<br>external<br>connectors. No<br>Support for<br>MIPS BE |  |
| Adaptec | AHA-3940 U       | 0x9004:<br>0x8278 | devb-aha8 | MIPS, PPC,<br>X86 | <a href="#">MultiChannel</a><br>PCI-to-Ultra<br>SCSI                                                                           |  |
| Adaptec | AHA-3940U2x      | 0x9005:<br>0x0050 | devb-aha8 | MIPS, PPC,<br>X86 | Ultra2 SCSI<br>Adapter. No<br>Support for<br>MIPS BE                                                                           |  |
| Adaptec | AHA-3940<br>UW   | 9004: 8278        | devb-aha8 | MIPS, PPC,<br>X86 | Bus master<br>PCI-to-Fast<br>and Wide SCSI<br>host adapter.<br>No Support for<br>MIPS BE                                       |  |
| Adaptec | AHA-3940<br>UWD  | 9004: 8278        | devb-aha8 | MIPS, PPC,<br>X86 | <a href="#">MultiChannel</a><br>PCI-to-Ultra<br>Wide SCSI<br>with Dual<br>external<br>connectors. No<br>Support for<br>MIPS BE |  |
| Adaptec | AHA-3940 W       | 9004: 7278        | devb-aha8 | MIPS, PPC,<br>X86 | Bus master<br>PCI-to-Fast<br>and Wide SCSI<br>host adapter.<br>No Support for<br>MIPS BE                                       |  |
| Adaptec | AHA-3944         | 0x9004:<br>0x7578 | devb-aha8 | MIPS, PPC,<br>X86 | <a href="#">MultiChannel</a><br>PCI-to-<br>Differential<br>SCSI host<br>adapter. No<br>Support for<br>MIPS BE                  |  |
| Adaptec | AHA-3944 U       | 0x9004:<br>0x8578 | devb-aha8 | MIPS, PPC,<br>X86 | Fast-Wide/<br>Ultra-Wide<br>Differential<br>SCSI host<br>adapter. No<br>Support for<br>MIPS BE                                 |  |
| Adaptec | AHA-3944 W       | 0x9004:<br>0x7578 | devb-aha8 | MIPS, PPC,<br>X86 | <a href="#">MultiChannel</a><br>PCI-to-Wide                                                                                    |  |

|         |               |                        |           |                |                                                                                                                        |  |
|---------|---------------|------------------------|-----------|----------------|------------------------------------------------------------------------------------------------------------------------|--|
|         |               |                        |           |                | Differential SCSI. No Support for MIPS BE                                                                              |  |
| Adaptec | AHA-3944 AUWD | N/A                    | devb-aha8 | MIPS, PPC, X86 | No Support for MIPS BE                                                                                                 |  |
| Adaptec | AHA-3944 UWD  | 9004: 8578             | devb-aha8 | MIPS, PPC, X86 | <a href="#">MultiChannel</a> PCI-to-Ultra Wide Differential SCSI with Dual external connectors. No Support for MIPS BE |  |
| Adaptec | AHA-3950U2x   | 0x9005: 0x0050, 0x0051 | devb-aha8 | MIPS, PPC, X86 | Ultra2 SCSI Adapter. No Support for MIPS BE                                                                            |  |
| Adaptec | AHA-4944 UW   | 0x9004: 0x7678, 0x8678 | devb-aha8 | MIPS, PPC, X86 | Quad Channel PCI-to-Ultra and Wide Differential SCSI. No Support for MIPS BE                                           |  |
| Adaptec | AHA-4944 W    | 9004: 7678             | devb-aha8 | MIPS, PPC, X86 | Quad Channel PCI-to-Fast and Wide Differential SCSI                                                                    |  |
| Adaptec | AIC-6260      | N/A                    | devb-aha2 | X86            | PIO single chip SCSI host adapter.                                                                                     |  |
| Adaptec | AIC-6360      | N/A                    | devb-aha2 | X86            | PIO single chip SCSI host adapter.                                                                                     |  |
| Adaptec | AIC-755X      | 9004: 5075             | devb-aha8 | MIPS, PPC, X86 |                                                                                                                        |  |
| Adaptec | AIC-7560      | 0x9004: 0x6075         | devb-aha8 | MIPS, PPC, X86 |                                                                                                                        |  |
| Adaptec | AIC-7770      | N/A                    | devb-aha7 | X86            | Bus master single chip SCSI host adapter.                                                                              |  |
| Adaptec | AIC-7850P     | 0x9004: 0x5078         | devb-aha8 | MIPS, PPC, X86 | Bus master single chip PCI-SCSI host adapter. No Support for MIPS BE                                                   |  |
| Adaptec | AIC-7855      | 9004: 5578             | devb-aha8 | MIPS, PPC, X86 | Single-chip PCI-to-Fast SCSI. No                                                                                       |  |

|         |            |                                         |              |                |                                                                                                     |  |
|---------|------------|-----------------------------------------|--------------|----------------|-----------------------------------------------------------------------------------------------------|--|
|         |            |                                         |              |                | Support for MIPS BE                                                                                 |  |
| Adaptec | AIC-7856   | 9004: 5678                              | devb-aha8    | MIPS, PPC, X86 | Single-chip PCI-to-Fast SCSI. No Support for MIPS BE                                                |  |
| Adaptec | AIC-7860   | 0x9004:<br>0x6078,<br>0x7860,<br>0x6278 | devb-aha8    | MIPS, PPC, X86 | PCI SCSI Controller. No Support for MIPS BE                                                         |  |
| Adaptec | AIC-7861   | 0x9004:<br>0x6178                       | devb-aha8    | MIPS, PPC, X86 | PCI SCSI Controller. No Support for MIPS BE                                                         |  |
| Adaptec | AIC-785X   |                                         | devb-adpu360 | MIPS, PPC, X86 | SCSI Ctrlr. No Support for MIPS BE                                                                  |  |
| Adaptec | AIC-7870   | 0x9004:<br>0x7078,<br>0x6778            | devb-aha8    | MIPS, PPC, X86 | Bus master single chip PCI-SCSI host adapter. No Support for MIPS BE                                |  |
| Adaptec | AIC-787X   | 0x9004:<br>0x7778                       | devb-aha8    | MIPS, PPC, X86 | PCI SCSI Controller. Support for this controller is also found in the devb-adpu360 driver.          |  |
| Adaptec | AIC-7880   | 0x9004:<br>0x8078                       | devb-aha8    | MIPS, PPC, X86 | Integrated bus master single chip PCI Ultra Wide SCSI host adapter                                  |  |
| Adaptec | AIC-7883 U | 9004: 8378                              | devb-aha8    | MIPS, PPC, X86 | Ultra-Wide SCSI host adapter. No Support for MIPS BE                                                |  |
| Adaptec | AIC-788X   | 0x9004:<br>0x8778                       | devb-aha8    | MIPS, PPC, X86 | Ultra-Wide SCSI host adapter. Support for this controller is also found in the devb-adpu360 driver. |  |
| Adaptec | AIC-7890   | 9004: 7890,<br>001F                     | devb-aha8    | MIPS, PPC, X86 | Ultra 2 SCSI host adapter.                                                                          |  |

|         |            |                                                                                                                                            |              |                |                                                                                          |  |
|---------|------------|--------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|------------------------------------------------------------------------------------------|--|
|         |            |                                                                                                                                            |              |                | No Support for MIPS BE                                                                   |  |
| Adaptec | AIC-7890AB | 0x9005:<br>0x0010                                                                                                                          | devb-aha8    | MIPS, PPC, X86 | Ultra-Wide SCSI host adapter. No Support for MIPS BE                                     |  |
| Adaptec | AIC-7891   | 9005: 001F                                                                                                                                 | devb-aha8    | MIPS, PPC, X86 | 64Bit PCI Ultra2 SCSI host adapter. No Support for MIPS BE                               |  |
| Adaptec | AIC-7895   | 0x9004:<br>0x7895                                                                                                                          | devb-aha8    | MIPS, PPC, X86 | Single-chip PCI-to- <a href="#">MultiChannel</a> Ultra Wide SCSI. No Support for MIPS BE |  |
| Adaptec | AIC-7896   | 9005: 005F                                                                                                                                 | devb-aha8    | MIPS, PPC, X86 | Ultra2 SCSI Controller. No Support for MIPS BE                                           |  |
| Adaptec | AIC-7897   | 9005: 005F                                                                                                                                 | devb-aha8    | MIPS, PPC, X86 | Ultra2 SCSI Controller. No Support for MIPS BE                                           |  |
| Adaptec | AIC-7899   | 0x9004:<br>0x7891,<br>0x7892,<br>0x7893,<br>0x7894,<br>0x7896,<br>0x7897.<br>0x9005:<br>0x0020,<br>0x0030,<br>0x002F,<br>0x003F,<br>0x00CF | devb-aha8    | MIPS, PPC, X86 | Ultra2-Wide SCSI host adapter. No Support for MIPS BE                                    |  |
| Adaptec | AMM-1570   | N/A                                                                                                                                        | devb-aha2    | X86            | PIO ISA-to-Fast SCSI host adapter                                                        |  |
| Adaptec | AIC-7901   | 0x9005;<br>0x801E                                                                                                                          | devb-adpu320 | MIPS, PPC, X86 | Single-Channel PCI-X to Ultra320 SCSI Controller                                         |  |
| Adaptec | AIC-7902   | 0x9005;<br>0x801F                                                                                                                          | devb-adpu320 | MIPS, PPC, X86 | Dual-Channel PCI-X to Ultra320 SCSI                                                      |  |
| Adaptec | 29320A-R   | 0x9005;<br>0x8000                                                                                                                          | devb-adpu320 | MIPS, PPC, X86 | 64-bit 133 MHz PCI-X, single-channel                                                     |  |

|                   |                  |                                                                                                                                                                                                                                                                                                      |            |                             |                                                                                                                              |  |
|-------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------|--|
|                   |                  |                                                                                                                                                                                                                                                                                                      |            |                             | Ultra320 SCSI card                                                                                                           |  |
| Adaptec           | AIC-786X         | 0x9004:<br>0x6478,<br>0x6578,<br>0x6678                                                                                                                                                                                                                                                              | devb-aha8  | MIPS, PPC,<br>X86           | SCSI Ctrlr.<br>Support for this<br>chipset is also<br>found in the<br>devb-adpu360<br>driver.                                |  |
| Adaptec           | AIC-789X         | 0x9005;<br>0x8778,<br>0x0020,<br>0x0030,<br>0x003F,<br>0x001F,<br>0x002F,<br>0x0060,<br>0x0070,<br>0x005F,<br>0x006F,<br>0x007F,<br>0x008F,<br>0x009F,<br>0x00AF,<br>0x00BF,<br>0x0080,<br>0x0090,<br>0x00A0,<br>0x00B0,<br>0x00DF,<br>0x00EF,<br>0x00FF,<br>0x00FF,<br>0x00D0,<br>0x00E0,<br>0x00F0 | devb-aha8  | MIPS, PPC,<br>X86           | Ultra-Wide<br>SCSI host<br>adapter.<br>Support for<br>this controller<br>is also found<br>in the devb-<br>adpu360<br>driver. |  |
| Adaptec           | AHA-2930U        | 0x9004:<br>0x3860                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           | AIC-2930U<br>Ultra SCSI                                                                                                      |  |
| Adaptec           | AHA-2940/2940U   | 0x9004:<br>0x7178                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Adaptec           | AHA-4944W/4944U  | 0x9004:<br>0x7678,<br>0x3B78,<br>0xEC78                                                                                                                                                                                                                                                              | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Adaptec           | AHA-2944UW       | 0x9004:<br>0x8478                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Adaptec           | AIC-7888         | 0x9004:<br>0x8878                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Adaptec           | AIC-7892B        | 0x9005:<br>0x0081                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Adaptec           | AIC-7899A        | 0x9005:<br>0x00C0                                                                                                                                                                                                                                                                                    | devb-aha8  | MIPS, PPC,<br>X86           |                                                                                                                              |  |
| Alcor Micro Corp. | Acer Flash drive | 0x58f:0x9382                                                                                                                                                                                                                                                                                         | devb-umass | ARM, MIPS,<br>PPC, SH4, X86 | USB flash drive                                                                                                              |  |

|                                    |                                         |               |            |                          |                                                                                    |  |
|------------------------------------|-----------------------------------------|---------------|------------|--------------------------|------------------------------------------------------------------------------------|--|
| Algorithmics                       | P-5064                                  | N/A           | devf-p5064 | MIPS                     | Flash filesystem support for the MIPS QED evaluation board. No Support for MIPS BE |  |
| AMD                                | AM-53C974                               | 1022: 2020    | devb-amd   | MIPS, X86                | Bus master PCI-to-Fast SCSI host adapter. No Support for MIPS BE                   |  |
| AMD                                | AM-79C974 KC                            | N/A           | devb-amd   | MIPS, X86                | Bus master PCI-to-Fast SCSI host adapter. No Support for MIPS BE                   |  |
| AMD                                | PCB-756                                 | 1022: 7409    | devb-eide  | X86                      | UDMA 4 (untested)                                                                  |  |
| AMD                                | PCB-766                                 | 1022: 7411    | devb-eide  | X86                      | UDMA 5 (untested)                                                                  |  |
| AMD                                | PCB-768                                 | 1022: 7441    | devb-eide  | X86                      | UDMA 5                                                                             |  |
| Apacer Technology, Inc.            | Handy Steno 2.0 (256MB)                 | 0x1005:0xb113 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                    |  |
| Apacer Technology, Inc.            | 1G flash key (Handy HA202)              | 0x1005:0xb113 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash key                                                                      |  |
| Apacer Technology, Inc.            | Handy Steno HT202                       | 0x1005:0xb113 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                    |  |
| Apple                              | 30GB iPod Photo                         | 0x05ac:0x1209 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB iPod                                                                           |  |
| Apple                              | iPod MP3 Player                         | 0x05ac:0x1300 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB iPod                                                                           |  |
| ATI                                | IXP-150/200/250                         | 0x1002:0x4349 | devb-eide  | X86                      | UDMA 5                                                                             |  |
| Buffallo                           | 11in1 <a href="#">CardReader/Writer</a> | 0x0411:0x0058 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Card Reader                                                                    |  |
| <a href="#">BusLogic/</a><br>Mylex | BT-440C                                 | N/A           | devb-btmm  | X86                      | Bus master VL SCSI host adapter.                                                   |  |
| <a href="#">BusLogic/</a><br>Mylex | BT-445C                                 | N/A           | devb-btmm  | X86                      | Bus master VL SCSI host adapter with floppy controller.                            |  |
| <a href="#">BusLogic/</a><br>Mylex | BT-542B                                 | N/A           | devb-btmm  | X86                      | Bus master ISA SCSI                                                                |  |

|                                |                                 |               |            |                          |                                                                  |  |
|--------------------------------|---------------------------------|---------------|------------|--------------------------|------------------------------------------------------------------|--|
|                                |                                 |               |            |                          | host adapter with floppy controller.                             |  |
| <a href="#">BusLogic/Mylex</a> | BT-542D                         | N/A           | devb-btmm  | X86                      | Bus master ISA-to-Fast SCSI host adapter with floppy controller. |  |
| <a href="#">BusLogic/Mylex</a> | BT-545C                         | N/A           | devb-btmm  | X86                      | Bus master ISA SCSI host adapter with floppy controller.         |  |
| <a href="#">BusLogic/Mylex</a> | BT-545S                         | N/A           | devb-btmm  | X86                      | Bus master ISA-to-Fast SCSI host adapter with floppy controller. |  |
| <a href="#">BusLogic/Mylex</a> | BT-646S                         | N/A           | devb-btmm  | X86                      | Bus master MCA SCSI host adapter.                                |  |
| <a href="#">BusLogic/Mylex</a> | BT-747S                         | N/A           | devb-btmm  | X86                      | Bus master EISA SCSI host adapter.                               |  |
| <a href="#">BusLogic/Mylex</a> | BT-946C                         | 4B10: 1040    | devb-btmm  | X86                      | Bus master PCI-to-Fast SCSI host adapter with floppy controller. |  |
| Canon                          | Powershot A70 (CF card)         | 0x04a9:0x30b5 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB camera                                                       |  |
| CMD                            | CMD-646                         | 1095: 0646    | devb-eide  | X86                      | UDMA 33                                                          |  |
| CMD                            | CMD-648                         | 1095: 0648    | devb-eide  | X86                      | UDMA 33, UDMA 66                                                 |  |
| CMD                            | CMD-649                         | 1095: 0649    | devb-eide  | X86                      | UDMA 33, UDMA 66, UDMA 100                                       |  |
| Comstar                        | Comstar 32M flash disk          | 0x090a:0x14c1 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                  |  |
| Corsair                        | Flash Voyager ( 1G)             | 0x067b:0x2517 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                  |  |
| Creative Labs                  | Soundblaster 16 SCSI            | N/A           | devb-aha2  | X86                      | PIO ISA SCSI host adapter                                        |  |
| Creative Labs                  | <a href="#">MuVo</a> MP3 Player | 0x041e:0x4120 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                                                   |  |
| Cypress                        | Cypress hard drive              | 0x04b4:0x6830 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive                                                   |  |
| Cyrix                          | Cx5530                          | 1078: 0102    | devb-eide  | X86                      | UDMA 33                                                          |  |
| Dura Micro                     | DMI SA2                         | 0x0c0b:0xb001 | devu-mass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                  |  |

|                                |                                                               |               |              |                          |                                                                                                                                                                                                                                                                                            |  |
|--------------------------------|---------------------------------------------------------------|---------------|--------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Flash                          | CFI NOR Flash                                                 | N/A           | devf-generic | ARM, MIPS, PPC, SH4, X86 | Support all standard CFI Nor Flash parts                                                                                                                                                                                                                                                   |  |
| Geek Squad                     | Geek Squad 1.0 GB and Memory Traveldrive                      | 0x08ec:0x0016 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                                                                                                                                                                                                                            |  |
| <a href="#">GemLight</a>       | UPD720130 (USB IDE Disk)                                      | 0x14c2:0x0001 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB IDE Disk                                                                                                                                                                                                                                                                               |  |
| Generic                        | IDE/EIDE/ATAPI                                                | N/A           | devb-eide    | X86                      | Supports most EIDE interfaces.                                                                                                                                                                                                                                                             |  |
| Generic                        | Generic 16M flash key                                         | 0x1043:0x8006 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                                                                                                                                                                                                                            |  |
| Generic                        | Generic 128M flash key and Transcend <a href="#">JetFlash</a> | 0x058f:0x9380 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                                                                                                                                                                                                                            |  |
| Generic                        | Generic USB Flash Part                                        | 0x0ef5:0x2202 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                                                                                                                                                                                                                            |  |
| Generic                        | <a href="#">FlashKey</a>                                      | 0x0d7d:0x0100 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB flash drive                                                                                                                                                                                                                                                                            |  |
| Generic                        | USB Mass Storage Devices                                      | n/a           | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB Mass storage Devices compliant with Mass Storage Specifications Overview (Rev 1.2), Bulk Only (Rev 1.0), CBI Specification (Rev 1.1), UFI Command Specification (Rev 1.0) (see <a href="http://www.usb.org/developers/devclass_docs">http://www.usb.org/developers/devclass_docs</a> ) |  |
| Hewlett-Packard                | <a href="#">PhotoSmart</a> 945 Digital Camera                 | 0x03f0:0x4002 | devb-umass   | ARM, MIPS, PPC, SH4, X86 | USB camera                                                                                                                                                                                                                                                                                 |  |
| <a href="#">HighPoint</a> Tech | HPT-366                                                       | 1103: 0004    | devb-eide    | X86                      | rev 0x01 UDMA 4 (untested)                                                                                                                                                                                                                                                                 |  |
| <a href="#">HighPoint</a> Tech | HPT-370                                                       | 1103: 0004    | devb-eide    | X86                      | rev 0x3+ UDMA 5                                                                                                                                                                                                                                                                            |  |
| <a href="#">HighPoint</a> Tech | HPT-372                                                       | 1103: 0005    | devb-eide    | X86                      | UDMA 6                                                                                                                                                                                                                                                                                     |  |
| <a href="#">HighPoint</a> Tech | HPT-374                                                       | 1103: 0008    | devb-eide    | X86                      | UDMA 6                                                                                                                                                                                                                                                                                     |  |

|         |                    |                |            |                          |                                   |  |
|---------|--------------------|----------------|------------|--------------------------|-----------------------------------|--|
| Hyundai | 2.2 Gig Flash Disk | 0x0ea0:0x2136  | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Flash Drive                   |  |
| IBM     | CD-ROM             | 0x04b3:0x4427  | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB CD-ROM                        |  |
| Intel   | 82371FB (PIIX)     | 8086: 1230     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | BIOS Mode transfers               |  |
| Intel   | 82371SB (PIIX3)    | 8086: 7010     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | MDMA 2                            |  |
| Intel   | 82371AB (PIIX4)    | 8086: 7111     | devb-eide  | PPC, X86                 |                                   |  |
| Intel   | 82801AA (ICH)      | 8086: 2411     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 4                            |  |
| Intel   | 82801AB (ICH0)     | 8086: 2421     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 4                            |  |
| Intel   | 82801BA (ICH2)     | 8086: 244A     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 5                            |  |
| Intel   | 82801BAM (ICH2-M)  | 8086: 244B     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 5                            |  |
| Intel   | 82801CA (ICH3-S)   | 8086: 248B     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 5                            |  |
| Intel   | 82801CAM (ICH3-M)  | 8086: 248A     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 5                            |  |
| Intel   | 82801DB (ICH4)     | 8086: 24CB     | devb-eide  | ARM, MIPS, PPC, SH4, X86 | UDMA 5                            |  |
| Intel   | 82801EB (ICH5)     | 0x8086: 0x24D1 | devb-eide  | X86                      | SATA.<br>(released in 6.3.0 SP3)  |  |
| Intel   | 82801EB (ICH5)     | 0x8086: 0x24DB | devb-eide  | X86                      | UDMA 5<br>(released in 6.3.0 SP3) |  |
| Intel   | 82801ER (ICH5R)    | 0x8086: 0x24DF | devb-eide  | PPC, X86                 | SATA.<br>(released in 6.3.0 SP3)  |  |
| Intel   | 82801FB (ICH6)     | 0x8086: 0x2651 | devb-eide  | PPC, X86                 | SATA.<br>(released in 6.3.0 SP3)  |  |
| Intel   | 82801FR (ICH6R)    | 0x8086: 0x2652 | devb-eide  | PPC, X86                 | SATA.<br>(released in 6.3.0 SP3)  |  |
| Intel   | 82801FB (ICH6)     | 0x8086: 0x266F | devb-eide  | PPC, X86                 | UDMA 5<br>(released in 6.3.0 SP3) |  |
| Intel   | 82801FBM (ICH6M)   | 0x8086: 0x2653 | devb-eide  | PPC, X86                 | SATA<br>(released in 6.3.0 SP3)   |  |
| Intel   | 82801GB (ICH7)     | 0x8086: 0x27DF | devb-eide  | PPC, X86                 | UDMA 5<br>(released in 6.3.0 SP3) |  |
| Intel   | 82801GB (ICH7)     | 0x8086: 0x27C0 | devb-eide  | PPC, X86                 | SATA<br>(released in 6.3.0 SP3)   |  |

|          |                                    |               |            |                          |                               |  |
|----------|------------------------------------|---------------|------------|--------------------------|-------------------------------|--|
| Intel    | 82801GB (ICH7)                     | 0x8086:0x27C4 | devb-eide  | PPC, X86                 | SATA (released in 6.3.0 SP3)  |  |
| Intel    | 6300ESB (ICH)                      | 0x8086:0x25A2 | devb-eide  | X86                      | UDMA 5 (release in 6.3.0 SP3) |  |
| Intel    | 6300ESB (ICH)                      | 0x8086:0x25A3 | devb-eide  | X86                      | SATA (release in 6.3.0 SP3)   |  |
| Intel    | 82801FB (ICH6)                     | 0x8086:0x2651 | devb-ahci  | PPC, X86                 | SATA (released in 6.3.0 SP3)  |  |
| Intel    | 82801FBM (ICH6M)                   | 0x8086:0x2653 | devb-ahci  | PPC, X86                 | SATA (released in 6.3.0 SP3)  |  |
| Intel    | 82801GB (ICH7)                     | 0x8086:0x27c1 | devb-ahci  | PPC, X86                 | SATA (released in 6.3.0 SP3)  |  |
| Intel    | 82801GBM (ICH7M)                   | 0x8086:0x27c5 | devb-ahci  | PPC, X86                 | SATA (released in 6.3.0 SP3)  |  |
| Iomega   | ZIP100                             | 0x059b:0x0001 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB zip drive                 |  |
| Iomega   | ZIP250                             | 0x059b:0x0030 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB zip drive                 |  |
| Iomega   | ZIP750                             | 0x059b:0x0035 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB zip drive                 |  |
| Iomega   | Zip Drive 100M                     | 0x059b:0x0001 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB zip drive                 |  |
| Kingston | USB Drive                          | 0x04e8:0x0100 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Kingston | Data Traveler 2.0, 1G              | 0x0930:0x653d | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Kingston | Data Traveler Elite, 1G            | 0x08ec:0x0015 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Kingston | <a href="#">DiskOnKey</a> 1G       | 0x08ec:0x0012 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Kingston | <a href="#">DiskOnKey</a> 256M     | 0x0951:0x1600 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Lacie    | External Harddrive                 | 0x059f:0x0321 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive                |  |
| Lexar    | <a href="#">JumpDrive</a> Pro      | 0x05dc:0xa400 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Lexar    | <a href="#">JumpDrive</a> Trio     | 0x05dc:0xb013 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Lexar    | Lexar flash drive                  | 0x0781:0x0810 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB compact flash             |  |
| Lexar    | Jumpdrive (64M)                    | 0x05dc:0x0080 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |
| Lexar    | MP3 Player 512 external flash card | 0x05dc:0x4d40 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                |  |
| Lexar    | Jumpdrive                          | 0x05dc:0xa400 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive               |  |

|                        |                                            |               |             |                          |                                           |  |
|------------------------|--------------------------------------------|---------------|-------------|--------------------------|-------------------------------------------|--|
| Lyra                   | MP3 Player                                 | 0x069b:0x070c | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                            |  |
| M-Systems              | <a href="#">DiskonKey</a>                  | 0x8ec:0x10    | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| M-Systems              | <a href="#">DiskonKey</a> V2               | 0x8ec:0x11    | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| M-Systems              | <a href="#">DiskGo</a>                     | 0x8ec:0x12    | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| M-Systems              | <a href="#">DiskOnKey</a><br>16MB and 64MB | 0x08ec:0x0010 | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drives                          |  |
| M-Systems              | 64M <a href="#">DiskOnKey</a>              | 0x08ec:0x0011 | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| M-Systems              | 9 in 1 Accelerate Card Reader              | 0x05e3:0x0760 | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB card reader                           |  |
| Marvell                | 88SX5080                                   | 0x11ab:0x5080 | devb-mvSata | X86                      | SATA (released in 6.3.0 SP3)              |  |
| Marvell                | 88SX5081                                   | 0x11ab:0x5081 | devb-mvSata | X86                      | SATA (released in 6.3.0 SP3)              |  |
| Marvell                | 88SX5040                                   | 0x11ab:0x5040 | devb-mvSata | X86                      | SATA (released in 6.3.0 SP3)              |  |
| Marvell                | 88SX5041                                   | 0x11ab:0x5041 | devb-mvSata | X86                      | SATA (released in 6.3.0 SP3)              |  |
| Maxtor                 | 3000LE hard drive                          | 0x0d49:0x3010 | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB hard drive                            |  |
| Mobil                  | Mobil Disk Z4 (512M) and GXT (1G, 2G)      | 0x126f:0x0161 | devb-umass  | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| National Semiconductor | CS-5530                                    | 0x100B: N/A   | devb-eide   | ARM, MIPS, PPC, SH4, X86 |                                           |  |
| NCR/Symbios            | NCR-53c810                                 | N/A           | devb-ncr8   | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios            | NCR-53C810A                                | N/A           | devb-ncr8   | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios            | NCR-53c815                                 | N/A           | devb-ncr8   | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios            | NCR-53c820                                 | N/A           | devb-ncr8   | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios            | NCR-53c825                                 | N/A           | devb-ncr8   | X86                      | Bus master PCI-to-Fast                    |  |

|                     |                                   |                  |            |                          |                                           |  |
|---------------------|-----------------------------------|------------------|------------|--------------------------|-------------------------------------------|--|
|                     |                                   |                  |            |                          | SCSI host adapter.                        |  |
| NCR/Symbios         | NCR-53c860                        | N/A              | devb-ncr8  | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios         | NCR-53c875                        | N/A              | devb-ncr8  | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios         | NCR-53c885                        | N/A              | devb-ncr8  | X86                      | Bus master PCI-to-Fast SCSI host adapter  |  |
| NCR/Symbios         | NCR-53c895                        | N/A              | devb-ncr8  | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| NCR/Symbios         | NCR-53c895A                       | 0x1000:0x0012    | devb-ncr8  | X86                      | PCI to Ultra2 SCSI Controller             |  |
| NCR/Symbios         | NCR-53c896                        | N/A              | devb-ncr8  | X86                      | Bus master PCI-to-Fast SCSI host adapter. |  |
| Nexdisk             | Nexdisk PSD 56( 128M )            | 0x09a6:0x8001    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| Nikon               | Nikon Digital Camera E5700        | 0x04b0:0x0010    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Camera                                |  |
| Nikon               | Digital Camera                    | 0x04b0:0x010C    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Camera                                |  |
| Nikon               | Coolpix 8800VH                    | 0x04b0:0x0127    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB camera                                |  |
| nVidia              | nForce MCP                        | 0x10DE:0x01bc    | devb-eide  | X86                      | UDMA 5 (untested)                         |  |
| Olympus             | D-510 Zoom Digital Camera         | 0x07b4:0x0105    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Camera                                |  |
| Ours Technology Inc | OTI-6803 Solid Flash Disk         | 0x0ea0:0x6803    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| Panasonic           | Panasonic DMC FZ10 Digital Camera | 0x04da:0x2372    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB camera                                |  |
| PC Tech             | RZ1000                            | 1042: 1000, 1001 | devb-eide  | X86                      | PCI EIDE Controller                       |  |
| Phison              | Phison USB Disk Pro               | 0x0d7d:0x1320    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB disk                                  |  |
| Pine                | PT-CW320A CD-ROM                  | 0x04a5:0x6006    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB CD-ROM                                |  |
| PNY                 | PNY Attache 1G                    | 0x0930:0x6534    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |
| PNY                 | PNY Attache 512M                  | 0x0930:0x6533    | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                           |  |

|                                     |                                      |               |            |                          |                                      |  |
|-------------------------------------|--------------------------------------|---------------|------------|--------------------------|--------------------------------------|--|
| Prolific Technology Inc.            | USB flash                            | 0x067b:0x2517 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| Promise                             | PDC-20262                            | 105A: 4D38    | devb-eide  | X86                      | UDMA 4                               |  |
| Promise                             | PDC-20267                            | 105A: 0x4D30  | devb-eide  | X86                      | UDMA 4                               |  |
| Promise                             | PDC-20265                            | 105A: 0D30    | devb-eide  | X86                      | UDMA 5                               |  |
| Promise                             | PDC-20269                            | 105A: 4D69    | devb-eide  | X86                      | UDMA 5                               |  |
| RAM                                 | Ram Disk                             | N/A           | devb-ram   | ARM, MIPS, PPC, SH4, X86 | Ram filesystem using block interface |  |
| RAM                                 | Ram Disk                             | N/A           | devf-ram   | ARM, MIPS, PPC, SH4, X86 | Ram filesystem using flash interface |  |
| Samsung                             | MP3 Player                           | 0x04e8:0x5026 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                       |  |
| <a href="#">SanDisk Corporation</a> | Cruzer Micro                         | 0x0781:0x7112 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| <a href="#">SanDisk Corporation</a> | Cruzer Micro                         | 0x0781:0x5151 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| <a href="#">SanDisk Corporation</a> | Cruzer Mini 512MB & 1GB              | 0x0781:0x5150 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| <a href="#">SanDisk Corporation</a> | Cruzer Mini                          | 0x0781:0x7103 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| <a href="#">SanDisk Corporation</a> | Cruzer (128M)                        | 0x0781:0x8888 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| <a href="#">ScanLogic</a>           | SL11R (USB IDE Disk)                 | 0x04ce:0x0002 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive                       |  |
| SCM Microsystems (Shuttle)          | E-USB ATA Bridge (Flash Card Reader) | 0x04e6:0x0001 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB card reader                      |  |
| SCM Microsystems (Shuttle)          | CF Multi-card reader                 | 0x04e6:0x0311 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB card reader                      |  |
| SCM Microsystems (Shuttle)          | ORCA Multi-card reader               | 0x04e6:0x0325 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB card reader                      |  |
| <a href="#">ServerWorks</a>         | CSB5                                 | 1166: 0212    | devb-eide  | X86                      | UDMA 4 (untested)                    |  |
| <a href="#">ServerWorks</a>         | OSB4                                 | 1166: 0211    | devb-eide  | X86                      | UDMA 2                               |  |
| <a href="#">ServerWorks</a>         | CSB5                                 | 1166: 0212    | devb-eide  | X86                      | Revision 0x92+ UDMA 5                |  |
| SIS                                 | <a href="#">SiS</a> -5513            | 0x1039:0x5513 | devb-eide  | X86                      | rev 0xD0 UDMA 2/4                    |  |
| SIS                                 | <a href="#">SiS</a> -5517            | 0x1039:0x5517 | devb-eide  | X86                      | UDMA 6                               |  |
| SIS                                 | <a href="#">SiS</a> -5518            | 0x1039:0x5518 | devb-eide  | X86                      | UDMA 6                               |  |
| SIS                                 | <a href="#">SiS</a> -180             | 0x1039:0x0180 | devb-eide  | X86                      | SATA                                 |  |
| SIS                                 | <a href="#">SiS</a> -181             | 0x1039:0x0181 | devb-eide  | X86                      | SATA                                 |  |
| SMI (Silicon Motion)                | <a href="#">DiskOnKey</a>            | 0x090c:0x1000 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                      |  |
| Sony                                | Sony USB Floppy Drive                | 0x054c:0x002c | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Floppy Drive                     |  |

|                     |                                                                      |               |            |                          |                 |  |
|---------------------|----------------------------------------------------------------------|---------------|------------|--------------------------|-----------------|--|
| Sony                | Sony DSC-S30/S70/S75/F505V/F505/FD92 Cybershot/Mavica Digital Camera | 0x054c:0x0010 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB camera      |  |
| Sony                | Sony <a href="#">HandyCam</a> Memory Stick Reader                    | 0x054c:0x002e | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB card reader |  |
| Sony                | Micro Vault 256M Flash Key                                           | 0x054c:0x0243 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| Sony                | Digital Camera                                                       | 0x054c:0x0010 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB Camera      |  |
| Sony                | Camcorder                                                            | 0x054c:0x002e | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB camcorder   |  |
| Sony                | <a href="#">DiskOnKey</a>                                            | 0x019e        | devb-umass | ARM, MIPS, PPC, SH4, X86 |                 |  |
| Sony                | Floppy Disk Drive                                                    | 0x002c        | devb-umass | ARM, MIPS, PPC, SH4, X86 |                 |  |
| Spire               | Spire USB 2.0 256MB & OCZ 1GB Rally                                  | 0x0457:0x151  | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| ST Microelectronics | STPC Consumer-II                                                     | 0x104A:0x021B | devb-eide  | ARM, MIPS, PPC, SH4, X86 |                 |  |
| Staples             | Staples Relay 256MB                                                  | 0x0781:0x5202 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| Staples             | Smartdisk Firelite 60G                                               | 0x0917:0x0207 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive  |  |
| SVDO                | SVDO HVM-3                                                           |               | devb-eide  | ARM, MIPS, PPC, SH4, X86 |                 |  |
| Teac                | CD-ROM                                                               | 0x0644:0x1000 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB CD-ROM      |  |
| Texas Instruments   | OMAP 5905                                                            | 0x104C: N/A   | devb-eide  | ARM, MIPS, PPC, SH4, X86 |                 |  |
| Tone                | Tone 5G 1 Inch Drive                                                 | 0x0ea0:0x2118 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB microdrive  |  |
| Transcend           | TSJFlash                                                             | 0x058f:0x9380 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| Transcend           | <a href="#">TSJFlashA</a>                                            | 0x0c76:0x0005 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| Trek                | <a href="#">FlashKey</a>                                             | 0x0a16:0x9780 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive |  |
| USB                 | Store n Go Pro 1GB                                                   | 0x08ec:0x0015 | devb-umass | ARM, MIPS, SH4, X86      | USB Flash Disk  |  |
| Vantec              | Win <a href="#">NexStar</a> 3 Port. Hard drive                       | 0x04b4:0x6830 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive  |  |
| Vantec              | <a href="#">NexStar</a> 2 IDE to USB @                               | 0x0402:0x5621 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB hard drive  |  |

|          |                                   |               |            |                          |                                         |  |
|----------|-----------------------------------|---------------|------------|--------------------------|-----------------------------------------|--|
|          | Generic IDE to USB container      |               |            |                          |                                         |  |
| Vantec   | 7 in 1 card reader                | 0x0402:0x5635 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB card reader                         |  |
| Vantec   | External disk enclosure NST 300UF | 0x067b:0x3507 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB disk drive                          |  |
| Venturer | MP3 Digital Audio Player          | 0x0419:0xa002 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                          |  |
| VIA      | 82C586B                           | 0x1106:0x0571 | devb-eide  | X86                      | 82686B PCI-ISA Bridge ver 0x40+ UDMA 5  |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8231 Bridge Chipset, UDMA 5 (untested)  |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8233 Bridge Chipset, UDMA 5 (untested)  |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8233C Bridge Chipset, UDMA 5 (untested) |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8233A Bridge Chipset, UDMA 6            |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8235A Bridge Chipset, UDMA 6 (untested) |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | 8237 Bridge Chipset, UDMA 6 (untested)  |  |
| VIA      | 82C686B                           | 0x1106:0x0571 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | rev 0x6+, UDMA 2                        |  |
| VIA      | VT8237                            | 0x1106:0x3149 | devb-eide  | ARM, MIPS, PPC, SH4, X86 | SATA                                    |  |
| Winbond  | W83C553F                          | 0x10ad:0x0105 | devb-eide  | PPC, X86                 | MDMA 2                                  |  |
| XILINX   | W221                              | 0x10EE: N/A   | devb-eide  | ARM, MIPS, PPC, SH4, X86 |                                         |  |
| Y-E Data | Flash Buster-U                    | 0x057b:0x0000 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB flash drive                         |  |
| Zarva    | MP3 Player                        | 0x066f:0x8257 | devb-umass | ARM, MIPS, PPC, SH4, X86 | USB MP3 player                          |  |